

2019-2020 Community Influenza Surveillance Report Update of Current Status January 29th, 2020

Overall Assessment

Influenza activity in the Middlesex-London region continues to be moderate, with the Health Unit receiving reports of both influenza A and B cases from across the London and Middlesex region.

Analysis and Action

Ontario's influenza season is well under way, with flu activity being reported across the province. If they haven't already done so, local residents are still encouraged to get their seasonal influenza vaccine as soon as possible, since it takes about two weeks for the vaccine to provide protection.

Regardless of the level of local influenza activity, there are a number of easy-to-follow steps that local residents can take to avoid becoming sick throughout the year. While washing your hands with soap and warm water, or using an alcohol-based hand sanitizer, remain effective ways to prevent many illnesses, including influenza, local residents should also cover their coughs and sneezes, clean and disinfect high-touch surfaces frequently, and stay home when they feel sick and/or have a fever.

Details of Current Local Activity

Between January 19th and 25th, there were 26 influenza A and six influenza B cases reported. Among these cases, there were 19 hospitalizations; no deaths were reported. An influenza A outbreak was also declared during the most recent reporting week of surveillance.

Appendix A provides more detail about laboratory-based influenza activity indicators for the most recent reporting week, as well as other local indicators of respiratory illness. A graph showing all 168 laboratory-confirmed cases by week of illness onset is provided at the end of this report in Appendix B.

Provincial and National Comparison

In the most recent *Ontario Respiratory Pathogen Bulletin* (covering January 12th to 18th), Public Health Ontario states that influenza levels are similar when compared to previous weeks; activity is moderate for influenza A and low for influenza B.

In the most recent *FluWatch* (covering January 12th to 18th), the Public Health Agency of Canada reports that influenza A and B continue to co-circulate. So far this season, 59% of cases identified have been influenza A, with 56% of subtyped specimens being the A(H1N1) strain. The greatest percentage of influenza A(H3N2) cases (47%) have been among those aged 65 and over, while influenza A(H1N1) cases have been distributed among adults 20 to 64 years old (51%) as well as seniors 65 year of age and older (32%). Influenza B has been identified in 41% of cases this season; of these, 87% have been among people under the age of 45.

- The latest *Ontario Respiratory Pathogen Bulletin*, issued by Public Health Ontario (PHO), is available at <https://www.publichealthontario.ca/en/data-and-analysis/commonly-used-products/respiratory-pathogens-weekly>
- The latest *FluWatch* report, issued by the Public Health Agency of Canada (PHAC), is available at <http://www.phac-aspc.gc.ca/fluwatch/>

Appendix A

Summary of Community Influenza Surveillance Indicators for Middlesex-London January 19th to January 25th, 2020

Table 1: Summary of laboratory-based influenza activity indicators, Middlesex-London and Ontario, 2019-2020 influenza surveillance season

Indicator	Reporting Period	Number Reported: <i>Current Reporting Period</i>	Number Reported: <i>Year to Date (from September 1, 2019)</i>	Recent Trends
Laboratory-confirmed cases^{1, 4}	Jan. 19-25 (week 4) ²	Influenza A – 26 cases Influenza B – 6 cases	Influenza A – 122 cases Influenza B – 46 cases	Influenza A: Higher than the previous week (Jan. 12-18) when 21 cases were reported. Influenza B: Lower than the previous week (Jan. 12-18) when 10 cases were reported.
Influenza sub-types¹	Jan. 19-25	Influenza A (H1N1)pdm09 – 4 cases Influenza A (H3) – 0 cases Influenza A not yet subtyped – 22 cases Influenza B not yet subtyped – 6 cases	Influenza A (H1N1)pdm09 – 32 cases Influenza A (H3) – 4 cases Influenza A not yet subtyped – 86 cases Influenza B not yet subtyped – 46 cases	
Hospitalizations^{1, 5}	Jan. 19-25	19	75	Higher than the previous week (Jan. 12-18) when 14 hospitalizations were reported.
Deaths^{1, 5}	Jan. 19-25	0	3	Lower than the previous week (Jan. 12-18) when one death was reported.
Influenza outbreaks in long-term care homes/retirement homes/acute care	Jan. 19-25	Influenza A – 1 outbreak Influenza B – 0 outbreaks Influenza A & B – 0 outbreaks	Influenza A – 4 outbreaks Influenza B – 0 outbreaks Influenza A & B – 1 outbreak	Influenza A: Same as the previous week (Jan. 12-18) when one outbreak was reported. Influenza B: Same as the previous week (Jan. 12-18) when no outbreaks were reported. Influenza A & B Same as the previous week (Jan. 12-18) when no outbreaks were reported.
Percentage of samples that are positive for influenza (Ontario)³	Jan. 12-18 (week 3) ²	Influenza A – 20.4% positivity Influenza B – 4.2% positivity	N/A	Influenza A: Higher than 19.6% positivity reported the previous week (Jan. 5-11). Influenza B: Similar to 3.8% positivity reported the previous week (Jan. 5-11).

Notes:

1 Numbers are subject to change week by week due to the retrospective nature of reporting.

2 Weekly influenza monitoring often uses numbered weeks from 1 to 52 weeks per year. A reference week calendar can be found at <https://www.canada.ca/en/public-health/services/diseases/flu-influenza/influenza-surveillance/fluwatch-weeks-calendar.html>

3 Public Health Ontario, Ontario Respiratory Pathogen Bulletin 2019-2020

4 The week cases are reported to the Health Unit may not be the same as week of illness onset.

5 The week hospitalizations and deaths are reported to the Health Unit may not be the same as the week in which they occurred, or the same as the week of illness onset.

Table 2: Summary of community-based respiratory illness indicators, Middlesex-London, 2019-2020 influenza surveillance season


Indicator	Reporting Period	Number Reported: <i>Current Reporting Period</i>	Recent Trends
Hospital emergency room reports regarding the percentage of patients with fever and respiratory illness	Jan. 19-25	<p>An average of 12.7% of patients presented with fever and respiratory symptoms.</p> <p>The proportion was highest at the paediatric emergency department, where 33.2% of patients presented with fever and respiratory symptoms.</p>	<p>Higher than 11.1% reported the previous week (Jan. 12-18).</p> <p>Higher than 31.1% reported the previous week (Jan. 12-18).</p>
Absence reports from elementary schools (i.e., absenteeism > 10%)	Jan. 20-24	Fifty-five elementary schools from one school board reported average absenteeism (due to all causes) exceeding 10%. A portion of the increase in absenteeism may have been influenced by the timing of school closures due to labour action and a professional development day.	Higher than the previous week (Jan. 13-17) when 45 elementary schools reported increased absenteeism.

The Middlesex-London Health Unit gratefully acknowledges the contributions of the following community partners who provide data for this report:

- London Health Sciences Centre
- St. Joseph's Health Care London
- Thames Valley District School Board

Appendix B

Laboratory-confirmed influenza cases, by influenza date† Middlesex-London 2019-2020 influenza season (N=168)



Source: Middlesex-London Health Unit internal influenza tracking database, extracted January 28, 2020.

† 'Influenza date' is the earliest of: symptom onset date, specimen collection date, specimen result date, and reported date. As such, the weekly counts shown in this section differ from those provided in other sections of this report.

* Counts may be incomplete and are subject to change due to the retrospective nature of reporting.