



OUTBREAK STATUS REPORT

Middlesex-London Health Unit

Last Updated: October 25, 2022 6:17 PM

For more information or to report an outbreak, contact:
 The Infectious Disease Control Team
 Middlesex-London Health Unit
 519-663-5317 ext. 2330

Active

Premise	Type of Outbreak	Date Declared	Affected Area(s)	Date Resolved	Pathogen 1	Pathogen 2	Pathogen 3
Earls Court Village	Respiratory	Oct 24, 2022	1st Floor (Brompton Wing)		COVID-19		
Richmond Woods	Respiratory	Oct 24, 2022	Facility-Wide		COVID-19		
Kensington Village Retirement	Respiratory	Oct 24, 2022	5th Avenue		COVID-19		
Extendicare	Respiratory	Oct 24, 2022	3rd Floor		Rhinovirus		
Country Terrace	Respiratory	Oct 23, 2022	North & East Wing		COVID-19		
Chartwell Riverside Retirement Residence	Respiratory	Oct 23, 2022	Facility-wide		COVID-19		
LHSC- Victoria Hospital	Respiratory	Oct 22, 2022	C5-300 Thoracic Surgery		COVID-19		
LHSC- University Hospital	Respiratory	Oct 21, 2022	U7 Clinical Neurosciences		COVID-19		
Jake's House (formerly Prince George Retirement Residence)	Respiratory	Oct 19, 2022	Facility-wide		COVID-19		
Chelsey Park Retirement Community	Respiratory	Oct 18, 2022	5th Floor		COVID-19		
Meadow Park Care Centre	Respiratory	Oct 18, 2022	Yellow and Blue Unit		COVID-19		
LHSC- Victoria Hospital	Respiratory	Oct 17, 2022	B9 200 Trauma Unit		COVID-19		
Windermere On The Mount	Respiratory	Oct 17, 2022	Facility Wide		COVID-19		
McCormick Home	Respiratory	Oct 15, 2022	Maple Grove 2nd Floor		COVID-19		
LHSC- University Hospital	Respiratory	Oct 14, 2022	U9 Orthopaedics		COVID-19		
LHSC- University Hospital	Respiratory	Oct 14, 2022	U4 Medicine		COVID-19		
Manor Village at London	Respiratory	Oct 12, 2022	4th floor, 3West, 3 Centre		COVID-19		
Middlesex Terrace	Respiratory	Oct 6, 2022	Facility-Wide		COVID-19		
Amica & Company Retirement	Respiratory	Oct 3, 2022	7th Floor		COVID-19		
Kensington Village	Respiratory	Sep 30, 2022	1st Floor & 2nd Floor		COVID-19		
LHSC- Victoria Hospital	Respiratory	Sep 27, 2022	B7 200 Adult Mental Health and PICU		COVID-19		

Declared Over

Premise	Type of Outbreak	Date Declared	Affected Area(s)	Date Resolved	Pathogen 1	Pathogen 2	Pathogen 3
Chartwell Royalcliffe Retirement Residence	Respiratory	Oct 5, 2022	Facility-wide	Oct 25, 2022	COVID-19		
Fox Hollow Retirement Residence	Respiratory	Oct 3, 2022	1st (AL), 3rd (IL) and 4th (IL) units, 2nd floor	Oct 24, 2022	COVID-19		
Extendicare	Respiratory	Oct 5, 2022	2nd floor	Oct 21, 2022	COVID-19		
LHSC- Victoria Hospital	Respiratory	Oct 3, 2022	B7 100 Adult Mental Health	Oct 20, 2022	COVID-19		
Richmond Woods	Respiratory	Oct 3, 2022	3rd floor	Oct 19, 2022	COVID-19		
Dorchester Terrace	Respiratory	Oct 1, 2022	Facility wide	Oct 19, 2022	COVID-19		

This information is to be used as a guide and is intended to help you prevent infections and outbreaks in your facility. The decision regarding who can work at a facility rests with that facility, but should take into account the need for adequate staffing levels and the risk of infection from staff working at multiple facilities. For more information please visit <https://www.healthunit.com/outbreak-resources>

Enteric Outbreaks

- Staff members/volunteers from facilities in outbreak should not work at your facility until at least 48 hours have elapsed since they last worked at the affected facility. This period can be modified if the causative agent is known.
- Staff members/volunteers who are experiencing gastrointestinal illness should not work at any facility until they have been symptom-free for at least 48 hours. Good hand hygiene should be reinforced with returning staff members/volunteers.
- Staff should change to a clean uniform between facilities and before leaving the affected facility.

(Source: Control of Gastroenteritis Outbreaks in Long-Term Care Homes: A Guide for Long-Term Care Homes and Public Health Unit Staff, 2013). <https://www.healthunit.com/outbreak-resources>

Clostridium difficile Outbreaks

- Provided that all required infection control practices are in place, staff can work at both affected and unaffected facilities without restrictions.

Residents/patients with suspected or confirmed *Clostridium difficile*-associated diarrhea (CDAD) can be transferred within the health care system; however, the receiving facility must be notified and be able to comply with the recommended infection control precautions. *Clostridium difficile* is suspected in a resident/patient who develops diarrhea and has been in a facility experiencing a *Clostridium difficile* outbreak. Initiate Isolation rapidly and stool samples should be collected. **(Source: Annex C: Testing, Surveillance and Management of Clostridium difficile In All Health Care Settings, January 2013).**

<https://www.healthunit.com/outbreak-resources>

Respiratory Outbreaks (non-influenza)

- Staff members/volunteers from facilities in outbreak should not work at your facility until at least 72 hours have elapsed since they last worked at the affected facility. For outbreaks attributable to Respiratory Syncytial Virus (RSV), Parainfluenza virus, Human metapneumovirus, and Adenovirus consider lengthening this time period to 5 days. Staff members/volunteers who are experiencing respiratory symptoms should not work at any facility until 5 days from onset of symptoms or until symptoms have resolved. For outbreaks attributable to RSV, lengthen this time period to 8 days. Good hand hygiene should be reinforced with returning staff members/volunteers. **(Source: A Guide to the Control of Respiratory Infection Outbreak in Long-Term Care Homes, Ministry of Health and Long-Term Care, November, 2015).** http://www.health.gov.on.ca/en/pro/programs/publichealth/flu/docs/resp_infectn_ctrl_guide_ltc_2015_en.pdf

Influenza Outbreaks

- The Health Unit recommends that you ask non-immunized staff/volunteers who are from facilities in outbreak, and who are not on an appropriate antiviral drug, to refrain from working at your facility until it has been at least 72 hours since they last worked at the affected facility.
- Staff members/volunteers who are experiencing respiratory/ influenza symptoms should not work at any facility until 5 days from onset of symptoms or until symptoms have resolved, whichever time period is shorter. Good hand hygiene should be reinforced with returning staff members/volunteers. **(Source: A Guide to the Control of Respiratory Infection Outbreak in Long-Term Care Homes, Ministry of Health and Long-Term Care, November, 2015).** http://www.health.gov.on.ca/en/pro/programs/publichealth/flu/docs/resp_infectn_ctrl_guide_ltc_2015_en.pdf